30.0 kHz-30.0 GHz GaAs MMIC Distributed Amplifier

May 2010 - Rev 19-May-10


Features

- ✗ Ultra Wide Band Driver Amplifier
- 🗙 Low Gain Ripple
- ✗ Positive Gain Slope
- ★ 11.0 dB Small Signal Gain
- ★ +22.0 dBm P1dB Compression Point
- ★ +31.0 dBm Third Order Intercept
- ★ 100% Visual Inspection to MIL-STD-883 Method 2010

General Description

Mimix Broadband's distributed 30.0 kHz-30.0 GHz GaAs MMIC distributed amplifier has a small signal gain of 11.0 dB with a +22.0 dBm P1dB output compression point. This MMIC uses Mimix Broadband's GaAs PHEMT device model technology, and is based upon electron beam lithography to ensure high repeatability and uniformity. The chip has surface passivation to protect and provide a rugged part with backside via holes and gold metallization to allow either a conductive epoxy or eutectic solder die attach process. This device is well suited for Test Instrumentation, Military, Space, Microwave Point-to-Point Radio, SATCOM and VSAT applications.

Chip Device Layout



Absolute Maximum Ratings

+12.0 VDC
375 mA
-5V
+23.0 dBm
-65 to +165 °C
-55 to +85 ℃
+175 °C

(1) Channel temperature affects a device's MTTF. It is recommended to keep channel temperature as low as possible for maximum life.

N N	•			,
Parameter	Units	Min.	Тур.	Max.
Frequency Range (f)	GHz	0.00003	-	30.0
Input Return Loss (S11) ³	dB	9.0	14.0	-
Output Return Loss (S22) ³	dB	9.0	14.0	-
Small Signal Gain (S21) ³	dB	8.0	11.0	-
Gain Flatness (∆S21)	dB	-	+/-0.5	-
Reverse Isolation (S12)	dB	-	35.0	-
Output Power for 1dB Compression (P1dB) ²	dBm	-	+22.0	-
Output Third Order Intermods (OIP3) ²	dBm	-	+31.0	-
Saturated Output Power (Psat) ²	dBm	-	+24.0	-
Drain Bias Voltage (Vd)	VDC	-	+8.0	+9.0
Gate Bias Voltage (Vg)	VDC	-1.5	-0.5	0.0
Supply Current (ld) (Vd=8.0V,Vg=-0.5V Typical)	mA	-	275	350

Electrical Characteristics (Ambient Temperature T = 25 °C)

100% on-wafer DC testing and 100% RF wafer qualification. Wafer qualification includes sample testing from each quadrant with an 80% pass rate required.

(2) Optional high power bias Vd=9.0V will typically yield 2-3 dB increase in P1dB, Psat and OIP3.

(3) Unless otherwise indicated, Min./Max. over 2.0-30.0 GHz and biased at Vd=8.0V.

WWW .

Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com Page 1 of 8

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.

BDTIC.com/MAC



CMM3030-BD

30.0 kHz-30.0 GHz GaAs MMIC **Distributed Amplifier**

CMM3030-BD, Vd=8.0 V (48 devices, 6 wafers)

May 2010 - Rev 19-May-10

15

14

13

12

11 Gain (dB) 10

9

8

7

6

5

0.0

4.0

8.0

12.0

16.0

Frequency (GHz)


■ Max ◆ Median ▲ Mean × -3sigma

20.0

24.0

28.0


32.0



-Max --- Median --- Mean --- Min

Mimix

Distributed Amplifier Measurements (On Wafer)



Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com

Page 2 of 8

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.


www.BDTIC.com/MACO

30.0 kHz-30.0 GHz GaAs MMIC Distributed Amplifier

May 2010 - Rev 19-May-10



CMM3030-BD



Distributed Amplifier Measurements (Test Fixture)

Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com

BDTIC.com/MAC


Page 3 of 8

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.

WWW -

May 2010 - Rev 19-May-10





Distributed Amplifier Measurements (Test Fixture) (cont.)


Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com Page 4 of 8

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.

www.BDTIC.com/MACO

30.0 kHz-30.0 GHz GaAs MMIC Distributed Amplifier

May 2010 - Rev 19-May-10



Distributed Amplifier Measurements (Test Fixture) (cont.)

Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com

www.BDTIC.com/MACOM

Page 5 of 8

Mimix

BROADBAND

CMM3030-BD


Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.



May 2010 - Rev 19-May-10

CMM3030-BD

Mechanical Drawing



(Note: Engineering designator is M364)

Units: millimeters (inches) Bond pad dimensions are shown to center of bond pad. Thickness: 0.110 +/- 0.010 (0.0043 +/- 0.0004), Backside is ground, Bond Pad/Backside Metallization: Gold All DC and RF Bond Pads are 0.070 x 0.070 (0.003 x 0.003). Bond pad centers are approximately 0.109 (0.004) from the edge of the chip. Dicing tolerance: +/- 0.005 (+/- 0.0002). Approximate weight: 1.73 mg.

> Bond Pad #1 (RF In + Vg) Bond Pad #2 (EXT)

WWW -

RI)

Bond Pad #3 (RF Out + Vd) Bond Pad #4 (EXT)

Bypass Capacitors - See App Note [2] İ İ İ 2 ₩ RF Out 3 (Vd) 00070580000 RF Out (Vd) **BF** In (Vg) **BF** In 1 (Vg) 4 Ŧ Ţ Ī

Bias Arrangement

Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com

Page 6 of 8

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.

()

. COM/MA

30.0 kHz-30.0 GHz GaAs MMIC **Distributed Amplifier**


May 2010 - Rev 19-May-10

CMM3030-BD

BROADBAND

Mimix

App Note [1] Biasing - As shown in the bonding diagram, this device is operated with a single drain and gate voltage via RF Out and RF In, respectively. Bias is nominally Vd=8.0V and Id=275mA. It is recommended to use active biasing to keep the currents constant as the RF power and temperature vary; this gives the most reproducible results. Depending on the supply voltage available and the power dissipation constraints, the bias circuit may be a single transistor or a low power operational amplifier, with a low value resistor in series with the drain supply used to sense the current. The gate of the pHEMT is




controlled to maintain correct drain current and thus drain voltage. The typical gate voltage needed to do this is 0.0V. Typically the gate is protected with Silicon diodes to limit the applied voltage. Also, make sure to sequence the applied voltage to ensure negative gate bias is available before applying the positive drain supply.

App Note [2] Bias Arrangement - Each DC pad (EXT1,2) needs to have DC bypass capacitance (117 pF, 560 pF, 0.33 uF) as close to the device as possible.

MTTF Graphs

These numbers were calculated based upon accelerated life test information received from the fabricating foundry and extensive thermal modeling/ finite element analysis done at Mimix Broadband. The values shown here are only to be used as a guideline against the end application requirements and only represent reliability information under one bias condition. Ultimately bias conditions and resulting power dissipation along with the practical aspects, i.e. thermal material stack-up, attach method of device placement are the key parts in determining overall reliability for a specific application, see previous pages. If the data shown below does not meet your reliability requirements or if the bias conditions are not within your operating limits please contact technical sales for additional information.



Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.

WWW .

BDTIC.com/MACO



CMM3030-BD

May 2010 - Rev 19-May-10

Handling and Assembly Information

CAUTION! - Mimix Broadband MMIC Products contain gallium arsenide (GaAs) which can be hazardous to the human body and the environment. For safety, observe the following procedures:

- Do not ingest.
- Do not alter the form of this product into a gas, powder, or liquid through burning, crushing, or chemical processing as these by-products are dangerous to the human body if inhaled, ingested, or swallowed. Observe government laws and company regulations when discarding this product. This product must be
- discarded in accordance with methods specified by applicable hazardous waste procedures.

Life Support Policy - Mimix Broadband's products are not authorized for use as critical components in life support devices or systems without the express written approval of the President and General Counsel of Mimix Broadband. As used herein: (1) Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury to the user. (2) A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

ESD - Gallium Arsenide (GaAs) devices are susceptible to electrostatic and mechanical damage. Die are supplied in antistatic containers, which should be opened in cleanroom conditions at an appropriately grounded antistatic workstation. Devices need careful handling using correctly designed collets, vacuum pickups or, with care, sharp tweezers.

Die Attachment - GaAs Products from Mimix Broadband are 0.100 mm (0.004") thick and have vias through to the backside to enable grounding to the circuit. Microstrip substrates should be brought as close to the die as possible. The mounting surface should be clean and flat. If using conductive epoxy, recommended epoxies are Tanaka TS3332LD, Die Mat DM6030HK or DM6030HK-Pt cured in a nitrogen atmosphere per manufacturer's cure schedule. Apply epoxy sparingly to avoid getting any on to the top surface of the die. An epoxy fillet should be visible around the total die periphery. For additional information please see the Mimix "Epoxy Specifications for Bare Die" application note. If eutectic mounting is preferred, then a fluxless gold-tin (AuSn) preform, approximately 0.001² thick, placed between the die and the attachment surface should be used. A die bonder that utilizes a heated collet and provides scrubbing action to ensure total wetting to prevent void formation in a nitrogen atmosphere is recommended. he gold-tin eutectic (80% Au 20% Sn) has a melting point of approximately 280 °C (Note: Gold Germanium should be avoided). The work station temperature should be 310 °C +/- 10 °C. Exposure to these extreme temperatures should be kept to minimum. The collet should be heated, and the die pre-heated to avoid excessive thermal shock. Avoidance of air bridges and force impact are critical during placement.

Wire Bonding - Windows in the surface passivation above the bond pads are provided to allow wire bonding to the die's gold bond pads. The recommended wire bonding procedure uses 0.076 mm x 0.013 mm (0.003" x 0.0005") 99.99% pure gold ribbon with 0.5-2% elongation to minimize RF port bond inductance. Gold 0.025 mm (0.001") diameter wedge or ball bonds are acceptable for DC Bias connections. Aluminum wire should be avoided. Thermo-compression bonding is recommended though thermosonic bonding may be used providing the ultrasonic content of the bond is minimized. Bond force, time and ultrasonics are all critical parameters. Bonds should be made from the bond pads on the die to the package or substrate. All bonds should be as short as possible.

Part Number for Ordering

CMM3030-BD-000V PB-CMM3030-BD-0000

Description

RoHS compliant die packed in vacuum release gel packs CMM3030-BD evaluation module



Proper ESD procedures should be followed when handling this device.

Mimix Broadband, Inc., 10795 Rockley Rd., Houston, Texas 77099 Tel: 281.988.4600 Fax: 281.988.4615 mimixbroadband.com Page 8 of 8

Characteristic Data and Specifications are subject to change without notice. ©2010 Mimix Broadband, Inc. Export of this item may require appropriate export licensing from the U.S. Government. In purchasing these parts, U.S. Domestic customers accept their obligation to be compliant with U.S. Export Laws.

www.BDTIC.com/MACOM