#### Features

- Low Series Resistance
- Ultra Low Capacitance
- Millimeter Wave Switching & Cutoff Frequency
- 2 Nanosecond Switching Speed
- Can be Driven by a Buffered TTL
- Silicon Nitride Passivation
- Polyimide Scratch Protection
- RoHS Compliant

### Description

M/A-COM Technology Solutions MA4GP907 is a Gallium Arsenide (GaAs) flip-chip PIN diode. It is fabricated using an OMCVD epitaxial wafer and a process optimized for high device uniformity and extremely low parasitics. The diode exhibits an extremely low RC product, (0.1ps) and 2-3nS switching characteristics. They are fully passivated with silicon nitride and have an added polymer layer for scratch protection. The protective coating prevents damage to the junction and the anode air-bridge during handling and assembly.

### Applications

The ultra low capacitance of the MA4GP907 allows for operation up to millimeter frequencies for RF switches and switched phase shifter applications. The diode is designed for use in pulsed or CW applications, where single digit nS switching speed is required. The low capacitance of the MA4GP907 makes it for use in microwave multi-throw switch assemblies, where the series capacitance of each "off" port adversely loads the input and affects VSWR.

#### Absolute Maximum Ratings T<sub>AMB</sub> = +25°C (unless otherwise specified)

Parameter	Absolute Maximum	
Reverse Voltage	50V	
Operating Temperature	-55°C to +125°C	
Storage Temperature	-55°C to +150°C	
Junction Temperature	+175°C	
Dissipated Power (RF & DC)	250mW	
C.W. Incident Power	+23 dBm	
Mounting Temperature	+280°C for 10 seconds	

1


ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.



Rev. V6

### **Chip Dimensions**



#### Notes:

1. Gold Pads 14µM thick.

2. Yellow areas indicate ohmic gold mounting pads.

	Inches		Millimeters		
DIM	MIN.	MAX.	MIN.	MAX.	
А	0.026	0.027	0.6604	0.6858	
В	0.0135	0.0145	0.3429	0.3683	
С	0.0065	0.0075	0.1651	0.1905	
D	0.0043	0.0053	0.1092	0.1346	
E	0.0068	0.0073	0.1727	0.1854	
F	0.0182	0.0192	0.4623	0.4877	

• North America Tel: 800.366.2266 / Fax: 978.366.2266

- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

www.BDTIC.com/MACOM

Visit www.macom.com for additional data sheets and product information.



Parameter	Symbol	Conditions	Units	Тур.	Max.
Total Capacitance	CT	-10V,1MHz	pF	0.025	0.030
Total Capacitance <sup>1</sup>	CT	-10V,10GHz	pF	0.025	
Series Resistance	Rs	+10mA, 1MHz	Ω	5.2	7.0
Series Resistance <sup>2</sup>	Rs	+10mA, 10GHz	Ω	4.2	
Forward Voltage	V <sub>F</sub>	+10mA	V	1.33	1.45
Reverse Voltage Current <sup>3</sup>	I <sub>R</sub>	V <sub>R</sub> = -50V	μA		10
Switching Speed <sup>4</sup>	T <sub>RISE</sub> T <sub>FALL</sub>	10GHz	nS	2	

### Electrical Specifications @ T<sub>AMB</sub> = +25°C

#### Notes:

- 1) Capacitance is determined by measuring the isolation of a single series diode in a  $50\Omega$  transmission line at 10GHz.
- 2) Series resistance is determined by measuring the insertion loss of a single series diode in a  $50\Omega$  transmission line at 10GHz.
- 3) The max rated  $V_R($  Reverse Voltage ) is sourced and the resultant reverse leakage current, Ir, is measured to be  ${<}10\mu A$

4) Switching speed is measured between 10% and 90% or 90% to 10% RF voltage for a single series mounted diode. Driver delay is not included.

2

ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

www\_BD

COM/MA

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.


<sup>•</sup> North America Tel: 800.366.2266 / Fax: 978.366.2266

<sup>•</sup> Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300

Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
Visit www.macom.com for additional data sheets and product information.




## Typical RF Performance @ T<sub>AMB</sub> = +25°C



Insertion Loss vs. Frequency

#### Return Loss vs. Frequency



3

ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed. PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under

• North America Tel: 800.366.2266 / Fax: 978.366.2266

• Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300

Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
Visit www.macom.com for additional data sheets and product information.

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.


www.BDTIC.com/MACOM



Rev. V6

# Typical RF Performance @ T<sub>AMB</sub> = +25°C

#### **Isolation vs. Frequency**



4

ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype

measurements. Commitment to develop is not goaranteed. **PRELIMINARY:** Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

- North America Tel: 800.366.2266 // Eacy9(782966.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300 •
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298 Visit www.macom.com for additional data sheets and product information.

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

BD. WWW -C. com/MAC



Rev. V6

# **Device Installation Guidelines**

### Cleanliness

This device should be handled in a clean environment. The chip is resistant to solvents and may cleaned using approved industry standard practices and chemicals.

### **Static Sensitivity**

Gallium Arsenide PIN diodes are ESD sensitive and can be damaged by static electricity. Proper ESD handling techniques should be used. These devices are rated Class 0, (0-199V) per HBM MIL-STD-883, method 3015.7 should be handled in a static-free environment.

### **General Handling**

The die has a polymer layer which provides scratch protection for the junction area and the anode air bridge. Die can be handled with plastic tweezers or picked and placed with a #27 tip vacuum pencil.

### Assembly Requirements using Electrically Conductive Silver Epoxy and Solder

The MA4GP907 is designed to be inserted onto hard or soft substrates with the junction/pad side down. It may be mounted onto a silk-screened circuit using electrically conductive silver epoxy, approximately 1-2 mils in thickness and cured at approximately 90°C to 150°C per manufacturer's schedule. For extended cure times, > 30 minutes, temperatures must be kept below 200°C.


### Eutectic Die Attached

Tin rich solders (>30% Sn by weight) are not recommended as they will scavenge gold from the contact pads exposing the tungsten metallization beneath and creating a poor solder connection. Indalloy or 80Au/20Sn type solders are acceptable. Maximum soldering temperature must be kept below 280°C for less than 10 seconds.

### **Ordering Information**

Part Number	Packaging
MA4GP907	Waffle Pack
MADP-000907-13050P	Pocket Tape

### Circuit Pad Layout



ADVANCED: Data Sheets contain information regarding a product M/A-COM is considering for development. Performance is based on target specifications, simulated results, and/or prototype

5

measurements. Commitment to develop is not guaranteed. **PRELIMINARY:** Data Sheets contain information regarding a product M/A-COM has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed

North America Tel: 800.366.2266 / Fax: 978.366.2266

- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- . Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298

Visit www.macom.com for additional data sheets and product information.

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

www <sub>-</sub> BD<sup>·</sup> ( ) COM/MA