

# SURMOUNT™ PIN Diodes: RoHS

Rev. V6

#### **Features**

- Surface Mount
- No Wirebonds Required
- · Rugged Silicon-Glass Construction
- Silicon Nitride Passivation
- Polymer Scratch Protection
- Low Parasitic Capacitance and Inductance
- High Average and Peak Power Handling
- RoHS Compliant

#### Description


This device is a silicon, glass PIN diode surmount chip fabricated with M/A-COM Tech's patented HMIC<sup>TM</sup> process. This device features two silicon pedestals embedded in a low loss, low dispersion glass. The diode is formed on the top of one pedestal and connections to the backside of the device are facilitated by making the pedestal sidewalls electrically conductive. Selective backside metallization is applied producing a surface mount device. This vertical topology provides for exceptional heat transfer. The topside is fully encapsulated with silicon nitride and has an additional polymer layer for scratch and impact protection. These protective coatings prevent damage to the junction and the anode air-bridge during handling and assembly.


#### **Applications**

These packageless devices are suitable for moderate incident power applications,  $\leq 10 \text{W/C.W.}$  or where the peak power is  $\leq 50 \text{W}$ , pulse width is  $\leq 1 \mu \text{S}$ , and duty cycle is  $\leq 0.01 \%$ . Their low parasitic inductance, 0.4 nH, and excellent RC constant, make these devices a superior choice for higher frequency switch elements when compared to their plastic package counterparts.

# Absolute Maximum Ratings<sup>1</sup> @ T<sub>AMB</sub> = +25°C (unless otherwise specified)

Parameter	Absolute Maximum					
MADP-04213060	305	405	505	905		
C.W. Incident Power dBm	40 44 43 35					
Forward Current	250 mA					
Reverse Voltage	-80 V					
Operating Temperature	-55°C to +125°C					
Storage Temperature	-55°C to +150°C					
Junction Temperature	+175°C					
Mounting Temperature	+280°C for 10 seconds					





DIM	INC	HES	ММ			
Dilvi	MIN	MAX	MIN	MAX		
Α	0.040	0.042	1.025	1.075		
В	0.021	0.023	0.525	0.575		
С	0.004	0.008	0.102	0.203		
D	0.013	0.015	0.325	0.375		
E	0.011	0.013	0.275	0.325		
F	0.013	0.015	0.325	0.375		
G	0.019	0.021	0.475	0.525		

#### Notes:

- 1. Backside metal: 0.1 μM thick.
- 2. Yellow hatched areas indicate backside ohmic gold contacts.
- 3. All devices have the same outline dimensions (A to G).

ADVANCED: Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not quaranteed.

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
  Visit www.macomtech.com for additional data sheets and product information.



# SURMOUNT™ PIN Diodes: RoHS

Rev. V6

### Electrical Specifications @ T<sub>AMB</sub> = + 25 °C

Parameter	Symbol	Conditions	Units	Min	Тур	Max	Min	Тур	Max
Parameter	Symbol	Conditions	Ullits	MADE	MADP-042305-13060		MADP-042505-13060		
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 10V, 1 MHz 1	pF		0.14	0.22		0.28	0.40
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 10 V, 1 GHz 1,3	pF		0.15			0.28	
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 40 V, 1 MHz 1	pF		0.13	0.22		0.27	0.40
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 40 V, 1 GHz 1,3	pF		0.14			0.27	
Resistance	R <sub>S</sub> <sup>2,3</sup>	+ 20 mA, 1 GHz 2,3	W		1.32			0.83	
Resistance	R <sub>S</sub> <sup>2,3</sup>	+ 50 mA, 1 GHz 2,3	W		1.18			0.76	
Forward Voltage	V <sub>F</sub>	+ 10 mA	V		0.87	1.00		0.84	1.00
Reverse Leakage Current	I <sub>R</sub>	-80V	uA			10			10
Input Third Order Intercept Point	IIP <sup>3</sup>	F 1= 1000 MHz F2 = 1010 MHz Input Power = +20 dBm I bias = + 20 mA	dBm		72			76	
C.W. Thermal Resistance	θ		°C/W		145			115	
Lifetime	TL	+10 mA / -6 mA ( 50% - 90% V )	nS		180			210	

Parameter	Symbol	Conditions	Units	Min	Тур	Max	Min	Тур	Max
rarameter	Symbol	Conditions	Onits	MADP-042405-13060		MADP-042905-13060			
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 10 V, 1 MHz 1	pF		0.61	0.75		0.06	0.18
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 10 V, 1 GHz 1,3	pF		0.61			0.06	
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 40 V, 1 MHz 1	pF		0.57	0.75		0.06	0.18
Capacitance	C <sub>T</sub> <sup>1,3</sup>	- 40 V, 1 GHz 1,3	pF		0.58			0.06	
Resistance	R <sub>S</sub> <sup>2,3</sup>	+ 20 mA, 1 GHz 2,3	W		0.62			3.14	
Resistance	R <sub>S</sub> <sup>2,3</sup>	+ 50 mA, 1 GHz 2,3	W		0.58			2.60	
Forward Voltage	V <sub>F</sub>	+ 10 mA	V		0.82	1.00		0.93	1.00
Reverse Leakage Current	I <sub>R</sub>	-80V	uA			10			10
Input Third Order Intercept Point	IIP <sup>3</sup>	F 1= 1000 MHz F2 = 1010 MHz Input Power = +20 dBm I bias = + 20 mA	dBm		80			65	
C.W. Thermal Resistance	$\theta^4$		°C/W		100			185	
Lifetime	T∟	+10 mA / -6 mA ( 50% - 90% V )	nS		255			140	

- $1. \quad \text{Total capacitance, $C_T$, is equivalent to the sum of junction capacitance $, C_J$, and parasitic capacitance, $C_{\text{par}}$.}$
- 2. Series resistance  $R_S$  is equivalent to the total diode resistance :  $R_S = R_J$  ( Junction Resistance) +  $R_C$  ( Ohmic Resistance)
- 3. R<sub>S</sub> and C<sub>T</sub> are measured on an HP4291A Impedance Analyzer with die mounted in an ODS-1134 package.
- Theta (θ) is measured with the die mounted in an ODS-1134 package.

#### Specifications Subject to Change Without Notice.

North America Tel: 800.366.2266 / Fax: 978.366.2266

• Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300


Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macomtech.com for additional data sheets and product information.





SURMOUNT™ PIN Diodes: RoHS


Rev. V6


### Typical Performance @ T<sub>AMB</sub> = +25 °C














- ADVANCED: Data Sheets contain information regarding a product M/A-COM Technology Solutions is considering for development. Performance is based on target specifications, simulated results, and/or prototype measurements. Commitment to develop is not guaranteed.
- PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.
- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
  Visit www.macomtech.com for additional data sheets and product information.



SURMOUNT™ PIN Diodes: RoHS

Rev. V6

### **Handling Procedures**

All semiconductor chips should be handled with care to avoid damage or contamination from perspiration and skin oils. The use of plastic tipped tweezers or vacuum pickups is strongly recommended for individual components. Bulk handling should insure that abrasion and mechanical shock are minimized.

### **Bonding Techniques**

Attachment to a circuit board is made simple through the use of surface mount technology. Mounting pads are conveniently located on the bottom surface of these devices and are removed from the active junction locations. These devices are well suited for solder attachment onto hard and soft substrates. The use of 80Au/20Sn, or RoHS compliant solders is recommended. For applications where the average power is ~1W, conductive silver epoxy may also be used. Cure per manufacturers recommended time and temperature. Typically 1 hour at 150°C.

When soldering these devices to a hard substrate, hot gas die bonding is preferred. A vacuum tip pick-up tool and a force of 60 to 100 grams applied to the top surface of the device is recommended. When soldering to soft substrates, such as Duroid, it is recommended to use a soft solder at the circuit board to mounting pad interface. Position the die so that its mounting pads are aligned with the circuit board mounting pads. While applying a downward force perpendicular to the top surface of the die, apply heat near the circuit trace and diode mounting pad. The solder connection to the two pads should not be made one at a time as this will create unequal heat flow and thermal stress to the part. Solder reflow should not be performed by causing heat to flow through the top—surface of the die to the back. Since the HMIC glass is transparent, the edges of the mounting pads can be visually inspected through the die after attachment is completed.

Typical re-flow profiles for Sn60/Pb40 and RoHS compliant solders is provided in <u>Application Note M538</u>, "Surface Mounting Instructions" and can viewed on the MA-COM website @ <a href="https://www.macomtech.com">www.macomtech.com</a>

### **Ordering Information**

The MADP-042XX5-13060 series of surmounts may be ordered in either gel packs or tape and reeled by adding the appropriate suffix per the table below. Tape and reel dimensions are provided in <a href="Application Note M513">Application Note M513</a> located on the M/A-COM Tech's website @ <a href="https://www.macomtech.com">www.macomtech.com</a>.

Part Number					
Gel Pack	Tape and Reel	Tape and Reel			
Gel Pack	Surf Tape	Pocket Tape			
MADP-042305-13060G	MADP-042305-13060T	MADP-042305-13060P			
MADP-042405-13060G	MADP-042405-13060T	MADP-042405-13060P			
MADP-042505-13060G	MADP-042505-13060T	MADP-042505-13060P			
MADP-042905-13060G	MADP-042905-13060T	MADP-042905-13060P			

PRELIMINARY: Data Sheets contain information regarding a product M/A-COM Technology Solutions has under development. Performance is based on engineering tests. Specifications are typical. Mechanical outline has been fixed. Engineering samples and/or test data may be available. Commitment to produce in volume is not guaranteed.

North America Tel: 800.366.2266 / Fax: 978.366.2266

<sup>•</sup> Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300

Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
 Visit www.macomtech.com for additional data sheets and product information.